

Form Number LLCF-063	Issue Date 02/04/13	Revision Date 06/15/21	Form Number LLCF-063
Scaffold Builder Inspection			

Customer: _____

Location: _____

Inspector: _____

Requisition #: _____

Supervisor: _____

Prior to dismantling scaffolds, confirm all locking pins/mechanisms are in place and functioning correctly.

	Pass	Deficient
Visual Scaffold Component inspection		
Are scaffold components straight?	<input type="checkbox"/>	<input type="checkbox"/>
Are scaffold components free of dents?	<input type="checkbox"/>	<input type="checkbox"/>
Are components free of excessive external corrosion?	<input type="checkbox"/>	<input type="checkbox"/>
Are weld points free of cracks and/or pin holes?	<input type="checkbox"/>	<input type="checkbox"/>
Internal Scaffold Component inspection		
Use light to inspect inside of component for excessive corrosion or scale.	<input type="checkbox"/>	<input type="checkbox"/>
Tap component on a wooden surface checking for excessive loose scale.	<input type="checkbox"/>	<input type="checkbox"/>
Internal Scaffold Component inspection		
Inspect wedge for cracks or defects.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect locking mechanism for proper function.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect head for defects.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect cups for cracks or disfiguration.	<input type="checkbox"/>	<input type="checkbox"/>
Right Angle, Swivel, Ladder Bracket, Diagonal Brace & Beam Clamp Inspection		
Inspect clamps for proper function.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect threads and bolts.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect hinges for proper function.	<input type="checkbox"/>	<input type="checkbox"/>
Ladder Inspection		
Are vertical and horizontal runners free of cracks and distortions?	<input type="checkbox"/>	<input type="checkbox"/>
Are weld points free of cracks and/or pin holes?	<input type="checkbox"/>	<input type="checkbox"/>
Are ladders free of excessive corrosion?	<input type="checkbox"/>	<input type="checkbox"/>
Use light to check inside of ladder for excessive corrosion and/or scale.	<input type="checkbox"/>	<input type="checkbox"/>
Tap ladder on a wooden surface checking for excessive loose scale.	<input type="checkbox"/>	<input type="checkbox"/>
Swing Gate Inspection		
Inspect clamps for cracks or defects.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect threads and bolts.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect hinges for proper function.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect spring for proper opening and closure.	<input type="checkbox"/>	<input type="checkbox"/>
Inspect exterior surface for excessive rust and/or scale.	<input type="checkbox"/>	<input type="checkbox"/>
Scaffold Plank Inspection		
Check steel planks for excessive corrosion weld cracks and deformation.	<input type="checkbox"/>	<input type="checkbox"/>
Check wooden planks for excessive cracks and burns.	<input type="checkbox"/>	<input type="checkbox"/>
Color Identification		
Is one side of the material painted Yellow for 2018 or Brown for 2019?	<input type="checkbox"/>	<input type="checkbox"/>
Please place an "X" in the box to reflect the changing quarter. This will assure that you have inspected your material and agree that it passes inspection.	<input type="checkbox"/> 1st (Jan-Mar)	<input type="checkbox"/> 3rd(Jul-Sep)
	<input type="checkbox"/> 2nd(Apr-Jun)	<input type="checkbox"/> 4th(Oct-Dec)

All scaffolding is required to come in every six (6) months for integrity checks and maintenance. If material stays out any longer than the required six months, a GIS MoC must be completed.

Supervisor Signature: _____

Date: _____

